

E-FILE STAMP



1 EXTERIOR METAL RAILING
NOT TO SCALE (OR EQUIVALENT)



2 SPECIALTY PAVING (OPTION 1)
NOT TO SCALE (OR EQUIVALENT)



3 COLORED CONCRETE (OPTION 2)
NOT TO SCALE (OR EQUIVALENT)



4 BUILDING MOUNTED LIGHTING
NOT TO SCALE (OR EQUIVALENT)

Ordering Guide
C1888A: LUMINAIRE
CP888B: POLE

Luminaire Detail
Scale 1/16

Color: Black

POLE:
4" STRAIGHT FLUTED
W/ 3" TEMON
0.125" WALL THICKNESS
6061-T5 ALUMINUM
W/ GFI DUPLEX OUTLET

BASE:
CAST ALUMINUM
#356HM ALLOY
W/ ACCESS DOOR

BASE DETAIL:
REFERENCE TEMPLATE
#101000395

Luminaire Matrix

COLOR:
X BLACK
- WHITE
- VERDE
- BRONZE
- GREEN

OPTICS:
X TYPE W/ REFR. PANEL
- TYPE V REFR. PANEL
- TYPE H CUTOFF
- TYPE V CUTOFF

PHOTO CONTROLS:
X BUTTON EYE
- TWIST-LOCK RECEIPT
- NONE

SOCKET: MODIFIED
- MEDIUM
- MEDIUM
X INDUCTION

WATTAGE: MODIFIED
- 70W HPS
- 100W HPS
- 150W HPS
- 250W HPS
- 70W MH
- 100W MH
- 150W MH
- 175W MH
- 250W MH
X 85W INDUCTION

VOLTAGE:
X 120V
- 208V
- 240V
- 277V
- 347V

PRODUCT APPROVALS
HADCO SMK
CUST. _____
CONFIDENTIAL
The drawing is confidential and proprietary to the client. A release of this drawing may not be reproduced without the express written consent of HADCO. Any use in whole or in part of this information or detail herein shall be for the sole benefit of HADCO. ©2008 HADCO, a Philips group brand.

HADCO is a Philips group brand

100 Crutney P.O. Box 128
Littletown, Pennsylvania 17348-0128
Phone: 717-359-7131
Fax: 717-359-9515
www.hadco.com

TR NAME:
Takoma Junction

REP. TERRITORY: DRAWN BY:
14 JRS

SCALE: DATE:
1/20 05.09.08

DRAWING NUMBER:
C1888-DWG01

REP:
Lightoller-Baltimore

REV: A POK 08-036
BY: DATE: _____

5 STREET LIGHT (CITY OF TAKOMA PARK STANDARD)
NOT TO SCALE

Emerson Bike Rack, Embedded
Product Drawing
www.landscapeforms.com
Date: 9/19/2016
Ph: 800.521.2546

UNIT MUST BE ANCHORED

CAST ALUMINUM FRAME

SEI SCREW FOR SECURING COVER PLATE

(2) 5/8-11 X 3-1/2" THREADED RODS INCLUDED FOR EMBEDDING

STAINLESS STEEL LEVELING GUIDES

BOTTOM VIEW

landscapesforms Drawing: EM0002
Dimensions are in inches [mm]
U.S. Patent No. D648,658

CONFIDENTIAL DRAWING INFORMATION CONTAINED HEREIN IS THE PROPERTY OF LANDSCAPE FORMS, INC. INTENDED USE IS LIMITED TO DESIGN PROFESSIONALS SPECIFYING LANDSCAPE FORMS, INC. PRODUCTS AND THEIR DIRECT CLIENTS. DRAWING IS NOT TO BE COPIED OR DISCLOSED TO OTHERS WITHOUT THE CONSENT OF LANDSCAPE FORMS, INC. ©2013 LANDSCAPE FORMS, INC. ALL RIGHTS RESERVED.

6 BIKE RACK
NOT TO SCALE (OR EQUIVALENT)

RAILING

1" CHAMFER

SMOOTH CONCRETE FINISH

EXPANSION JOINT

FINISH GRADE

DEPTH TO FROST LINE (30" MIN.)

10,000 PSI SOLID CORE GROUT W/ REINF. PER STRUCTURAL ENGINEER

8" MIN. CORE DRILL POST

WEEP HOLE 3/4" O.C. APPROX. 4" ABOVE FINISH GRADE

CONCRETE RETAINING WALL REINF. BY STRUCTURAL ENGINEER

AGGREGATE BACKFILL 6" MIN.

CONTINUOUS CONC. FOOTING REINF. BY STRUCTURAL ENGINEER PREPARED SUBGRADE

P-50263-WAL-01

7 RETAINING WALL
1" = 1'-0"

BLACK 2" DIAMETER ALUMINUM TUBE HAND RAILING

SMOOTH FINISH CONCRETE RETAINING WALL, FLUSH WITH UPPER LEVEL, REINFORCED AS NEEDED. REFER TO STRUCTURAL PLANS FOR REINFORCEMENT DETAILS

CONCRETE STAIR, REINFORCED AS NEEDED. REFER TO STRUCTURAL PLANS FOR REINFORCEMENT DETAILS

CONCRETE FOOTER TYP. REFER TO STRUCTURAL PLANS FOR REINFORCEMENT DETAILS

8 STAIRS TO MAIN ENTRANCE
1/2" = 1'-0" P-50263-WAL-02

BLACK 2" DIAMETER ALUMINUM TUBE HAND RAILING

HEIGHT VARIES

1'-6" MAX. HEIGHT

3'-0"

1'-6" MAX. HEIGHT

CONCRETE FOOTER, TYP. REFER TO STRUCTURAL PLANS FOR REINFORCEMENT DETAILS

CONCRETE RAMP, REINFORCED AS NEEDED. REFER TO STRUCTURAL PLANS FOR REINFORCEMENT DETAILS

9 TYPICAL RAMP SECTION
1/2" = 1'-0" P-50263-WAL-03



10 CAST IN PLACE BENCH
NOT TO SCALE

VKA
ENGINEERS PLANNERS
LANDSCAPE ARCHITECTS SURVEYORS
VKA MARYLAND, LLC
20251 CENTURY BOULEVARD SUITE 400
GERMANTOWN, MARYLAND 20874
PHONE: (301) 916-4100
FAX: (301) 916-2262
GERMANTOWN, MD. TYSONS, VA.

PREPARED FOR:
Neighborhood Development Company
3232 Georgia Avenue
Suite 100
Washington DC 20010
202.567.3205
Jingjing Liu

LANDSCAPE ARCHITECT
VKA MARYLAND, LLC
20251 CENTURY BOULEVARD
SUITE 400
GERMANTOWN MD, 20874
301.916.4100
JOSHUA C. SLOAN

REVISIONS	DATE
REV. TO COMMENTS	4/30/2019
REV. TO COMMENTS	9/15/2020

PROFESSIONAL SEAL

I HEREBY CERTIFY THAT THESE DOCUMENTS WERE PREPARED OR APPROVED BY ME, AND THAT I AM A QUALIFIED, REGISTERED PROFESSIONAL ARCHITECT UNDER THE CHARTER OF THE STATE OF MARYLAND. LICENSE NUMBER: 3078 EXPIRATION DATE: MAY 11, 2022

TAKOMA JUNCTION

MNCPPC #820190090
MONTGOMERY COUNTY,
MARYLAND
TAX MAP: JNS0
WSSC 208N301 & 209N301

SITE FURNISHING AND LIGHTING

DEVELOPER'S CERTIFICATE
The undersigned agrees to execute all the features of the Site Plan Approval No. 820190090, including Approval Conditions, Development Program and Certified Site Plan.

Developer's Name: NEIGHBORHOOD DEVELOPMENT COMPANY
Contact Person: JINGJING LIU
Address: 3232 GEORGIA AVENUE SUITE 100 WASHINGTON DC 20010
Phone: 202-567-3205
Signature: *Jingjing Liu* Date: _____

DRAWN BY: CC/DL
DESIGNED BY: JS/RT
DATE ISSUED: SEP. 15, 2020
VKA PROJECT: VM50263A

SHEET NO. L503