



LIST OF AMENDMENT ITEMS:

- RE-DESIGNED AREA 1C, LOCATED AT CLOVERLEAF CENTER SUBDIVISION LOTS 2,3, & 4, BLOCK A - FOR NEWLY PROPOSED BUILDING C1, C2, D, E, G, & H.
- ADDED NEW SHEET PER AMENDMENT
- NO SHEET CHANGE
- REVISED DEVELOPMENT PROGRAM AND BUILDING USES.
- REVISED DEVELOPMENT DATA TABLE AND /OR NOTES
- RE-SUBDIVISION OF LOTS.
- REVISED ARCHITECTURE.
- REVISED LANDSCAPE/ LIGHTING LAYOUT AND ASSOCIATED PLANTING SCHEDULES.
- REVISED UTILITY / WATER & SEWER LAYOUT CONNECTION FOR EACH PROPOSED BUILDING.
- REVISED SITE PLAN SHEET NUMBERS TO ACCOUNT FOR NEW SHEETS ADDED PER AMENDMENT.
- REVISED SHEET MATCH LINES PER REVISED LAYOUT.
- REVISED AMENITY AND PROGRAMMED SPACES AROUND NEW PROPOSED BUILDINGS.
- REVISED DEVELOPMENT PHASING.
- ADD / REMOVED DETAILS PER PROPOSED AMENDMENT.

2




- NOTES:**
- ALL SIGNS AND MARKINGS SHALL BE IN CONFORMANCE WITH THE MARYLAND MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
 - ALL SIGNS TO BE PLACED ON METAL POSTS (BREAK-AWAY).



1 **SIGN AND SIGN PLACEMENT DETAIL**

NTS



GENERAL NOTES

Crosswalks are to be Centered on the Handicap Ramps unless otherwise noted.
 Standard and Diagonal Crosswalk Lines are 12" Solid White Lines.
 Crosswalk and Stoplines Should Start End at the Gutter Pan.
 Ladder Bar Crosswalk Lines are 16" Solid White Lines.
 Stoplines are Solid White Lines.
 - 16" for Non-signalized Intersections
 - 24" for Signalized Intersections
 Arrows are 8" White Thermoplastic or Heat Applied Preformed Thermoplastic Material.
 DYL (Double Yellow Center Lines) are 5" Yellow Lines.

Number	Revision	Date	App'd	Date	By
				Dec, 2004	SK
					SK
					SK
					SK

Approved - Chief Traffic Operations Section
 Drawing Number: _____ Sheet: 1 of 1

2 **ROAD MARKING DETAIL**

NTS


Developer's Certificate
 The Undersigned agrees to execute all the features of the Site Plan Approval No. 20200307F including Approval Conditions, Development Program, and Certified Site Plan.

Developer: Shamit Development Company
 Pradip Ghosh
 Contact Person

Address: 4495 Montgomery Road, Ellicott City, MD 21043

Phone: (443) 802-9077

Signature: Pradip Ghosh



PROFESSIONAL CERTIFICATION
 I hereby certify that these documents were prepared or approved by me and that I am a duly licensed professional engineer under the laws of the State of Maryland. License No. 13918, Expiration Date 4/1/22.

SEAL & SIGNATURE

CENTURY
Site Plan Amendment F
#82003007F

Cloverleaf Center, Parcels Z & AA
 Montgomery County, Maryland, Clarksburg Election District 2

KEY PLAN

ISSUE DATE	DESCRIPTION
2021.10.29	M-NRPPC - Initial Submission
2021.11.30	M-NRPPC - In-Take Submission
.	.
.	.
.	.

REVISIONS NO	DATE	DESCRIPTION

PROJECT NUMBER	1252A1
DATE	2021.11.30
SCALE	AS SHOWN
DRAWING TITLE	Details